

Database Theory

VU 181.140, SS 2011

4. Trakhtenbrot's Theorem

Reinhard Pichler

Institut für Informationssysteme
Arbeitsbereich DBAI
Technische Universität Wien

5 April, 2011



Outline

4. Trakhtenbrot's Theorem

4.1 Motivation

4.2 Turing Machines and Undecidability

4.3 Trakhtenbrot's Theorem

4.4 Finite vs. Infinite Domain

Perfect Query Optimization

A legitimate question:

Question

Given a query Q in RA, is there at all a database \mathcal{A} such that $Q(\mathcal{A}) \neq \emptyset$?

- If there is no such database, then the query Q makes no sense and we can directly replace it by the empty result.
- Could save much run-time!
- We shall show that this **problem** is **undecidable**!
- We first recall some basic notions and results from the lecture “Formale Methoden der Informatik”.

Turing Machines

Turing machines are a formal **model of algorithms** to solve problems:

Definition

A **Turing machine** is a quadruple $M = (K, \Sigma, \delta, s)$ with a finite set of **states** K , a finite set of symbols Σ (**alphabet** of M) so that $\sqcup, \triangleright \in \Sigma$, a **transition function** δ :

$$K \times \Sigma \rightarrow (K \cup \{q_{halt}, q_{yes}, q_{no}\}) \times \Sigma \times \{+1, -1, 0\},$$

a halting state q_{halt} , an accepting state q_{yes} , a rejecting state q_{no} , and R/W head directions: $+1$ (right), -1 (left), and 0 (stay).

- Function δ is the “program” of the machine.
- For the current state $q \in K$ and the current symbol $\sigma \in \Sigma$,
 - $\delta(q, \sigma) = (p, \rho, D)$ where p is the new state,
 - ρ is the symbol to be overwritten on σ , and
 - $D \in \{+1, -1, 0\}$ is the direction in which the R/W head will move.
- For any states p and q , $\delta(q, \triangleright) = (p, \rho, D)$ with $\rho = \triangleright$ and $D = +1$.
 In other words: The delimiter \triangleright is never overwritten by another symbol, and the R/W head never moves off the left end of the tape.
- The machine **starts** as follows:
 - (i) the initial state of $M = (K, \Sigma, \delta, s)$ is s ,
 - (ii) the tape is initialized to the infinite string $\triangleright I \sqcup \sqcup \dots$, where I is a finitely long string in $(\Sigma - \{\sqcup\})^*$ (I is the *input* of the machine) and
 - (iii) the R/W head points to \triangleright .
- The machine **halts** iff q_{halt} , q_{yes} , or q_{no} has been reached.
 - If q_{yes} has been reached, then the machine **accepts** the input.
 - If q_{no} has been reached, then the machine **rejects** the input.
 - If q_{halt} has been reached, then the machine **produces output**.

Church's Thesis

Church's Thesis

Any “reasonable” attempt to model mathematically computer algorithms ends up with a model of computation that is equivalent to Turing machines.

Evidence for this thesis

All of the following models can be shown to have precisely the same expressive power as Turing machines:

- Random access machines
- μ -recursive functions
- any conventional programming language (Java, C, ...)

Strengthening of Church's Thesis

Turing machines are not less efficient than other models of computation!

Halting Problem

HALTING

INSTANCE: A Turing machine M , an input string I .

QUESTION: Does M halt on I ?

Theorem

HALTING is undecidable, i.e. there does *not* exist a Turing machine that decides **HALTING**.

Undecidability applies already to the following variant of **HALTING**:

HALTING- ϵ

INSTANCE: A Turing machine M .

QUESTION: Does M halt on the empty string ϵ , i.e. does M reach q_{halt} , q_{yes} , or q_{no} when run on the initial tape contents $\triangleright \square \square \dots$?

Trakhtenbrot's Theorem

Theorem (Trakhtenbrot's Theorem, 1950)

For every relational vocabulary σ with at least one binary relation symbol, it is undecidable to check whether an FO sentence φ over σ is finitely satisfiable (i.e. has a finite model).

This theorem rules out perfect query optimization. Translated into database terminology, it reads:

Theorem

For a database schema σ with at least one binary relation, it is undecidable whether a Boolean FO or RA query Q over σ is satisfied by at least one database.

Idea to prove Trakhtenbrot's Theorem

- Define a relational signature σ suitable for encoding finite computations of a TM.
- For any specific TM M , show that there exist an FO formula φ_M “encoding” the computation of M and a halting condition, such that:

φ_M has a finite model iff M halts on ϵ .

- The undecidability of **HALTING**- ϵ together with the reduction proves Trakhtenbrot's Theorem!

Proof of Trakhtenbrot's Theorem

Assume a machine $M = (K, \Sigma, \delta, q_{start})$.

Simplifying assumptions:

- σ may have several unary and binary relations
 Exercise. We could easily encode them into a single binary relation.
- Tape alphabet of M is $\Sigma = \{0, 1, \triangleright, \sqcup\}$
 - Can always be obtained by simple coding tricks, e.g. $A \rightarrow 10$,
 $B \rightarrow 01, C \rightarrow 11, D \rightarrow 00$

We use the following relations:

- Binary $<$ will encode a **linear order** (as usual, we'll write $x < y$ instead of $<(x, y)$). The elements of this linear order will be used to simulate both time instants and tape positions (= cell numbers).
- Unary ***Min*** will denote the smallest element of $<$.
Note: instead of a relation *Min* we can use a constant *min*.
- Binary ***Succ*** will encode the successor relation w.r.t. the linear order.
- Binary $T_0, T_1, T_{\triangleright}, T_{\sqcup}$ are tape predicates: $T_{\alpha}(p, t)$ indicates that cell number p at time t contains α .
- Binary ***H*** will store the head position: $H(p, t)$ indicates that the R/W head at time t is at position p (i.e., at cell number p).
- Binary ***S*** will store the state: $S(s, t)$ indicates that at instant t the machine is in state s .

We let φ_M be the conjunction $\varphi_M = \varphi_{<} \wedge \varphi_{Min} \wedge \varphi_{comp}$ that is explained next:

- $<$ must be a strict linear order (a total, transitive, antisymmetric, irreflexive relation). Thus $\varphi_{<}$ is the conjunction of:

$$\forall x, y. (x \neq y \rightarrow (x < y \vee y < x))$$

$$\forall x, y, z. ((x < y \wedge y < z) \rightarrow x < z)$$

$$\forall x, y. \neg(x < y \wedge y < x)$$

We axiomatize the successor relation based on $<$ as follows:

$$\forall x, y. (Succ(x, y) \leftrightarrow (x < y) \wedge \neg \exists z. (x < z \wedge z < y))$$

- *Min* must contain the minimal element of $<$. Thus φ_{Min} is:

$$\forall x, y. (Min(x) \leftrightarrow (x = y \vee x < y)) \quad (1)$$

- The formula φ_{comp} is defined as

$$\varphi_{comp} \equiv \exists y_{q_0}, y_{q_1}, \dots, y_{q_k} (\varphi_{states} \wedge \varphi_{rest}),$$

where each variable y_{q_i} corresponds to the state q_i of M (we assume the TM has $k + 1$ states), and

$$\varphi_{states} \equiv \bigwedge_{0 \leq i < j \leq k} y_{q_i} \neq y_{q_j}.$$

Intuitively, using the $\exists y_{q_0}, y_{q_1}, \dots, y_{q_k}$ prefix and φ_{states} we associate to each state of M a distinct domain element.

- The formula φ_{rest} is the conjunction of several formulas defined next (R1-R6) to describe the behaviour of M .

(R1) Formula defining the initial configuration of M with $\triangleright \sqcup \sqcup \dots$ on its input tape.

- At instant 0 the tape has \triangleright in the first cell of the tape:

$$\forall p. (Min(p) \rightarrow T_{\triangleright}(p, p))$$

- All other cells contain \sqcup at time 0:

$$\forall p, t. ((Min(t) \wedge \neg Min(p)) \rightarrow T_{\sqcup}(p, t))$$

- The head is initially at the start position 0:

$$\forall t (Min(t) \rightarrow H(t, t))$$

- The machine is initially in state q_{start} :

$$\forall t (Min(t) \rightarrow S(y_{q_{start}}, t))$$

(R2) Formulas stating that in every configuration, each cell of the tape contains exactly one symbol:

$$\forall p, t. (T_0(p, t) \vee T_1(p, t) \vee T_{\triangleright}(p, t) \vee T_{\sqcup}(p, t)),$$

$$\forall p, t. (\neg T_{\sigma_1}(p, t) \vee \neg T_{\sigma_2}(p, t)), \quad \text{for all } \sigma_1 \neq \sigma_2 \in \Sigma$$

(R3) A formula stating that at any time the machine is in exactly one state:

$$\forall t. ((\bigvee_{0 \leq i \leq k} S(q_i, t)) \wedge \bigwedge_{0 \leq i < j \leq k} \neg(S(q_i, t) \wedge S(q_j, t)))$$

(R4) A formula stating that at any time the head is at exactly one position (exercise).

(R5) Formulas describing the transitions. In particular, for each tuple $(q_1, \sigma_1, q_2, \sigma_2, D)$ such that $\delta(q_1, \sigma_1) = (q_2, \sigma_2, D)$, we have the formula:

$$\forall p, t \left((H(p, t) \wedge T_{\sigma_1}(p, t) \wedge S(q_1, t)) \rightarrow \exists p', t'. (FollowTo(p, p') \wedge Succ(t, t') \wedge \right. \\ \left. H(p', t') \wedge S(q_2, t') \wedge T_{\sigma_2}(p, t') \wedge \right. \\ \forall r. (r \neq p \rightarrow T_0(r, t') \equiv T_0(r, t)) \wedge \\ \forall r. (r \neq p \rightarrow T_1(r, t') \equiv T_1(r, t)) \wedge \\ \forall r. (r \neq p \rightarrow T_{\triangleright}(r, t') \equiv T_{\triangleright}(r, t)) \wedge \\ \left. \left. \forall r. (r \neq p \rightarrow T_{\sqcup}(r, t') \equiv T_{\sqcup}(r, t)) \right) \right)$$

where:

$$FollowTo(p, p') \equiv \begin{cases} Succ(p, p') & \text{if } D = +1, \\ Succ(p', p) & \text{if } D = -1, \\ p = p' & \text{if } D = 0. \end{cases}$$

(R6) A formula φ_{halt} saying that M halts on input I :

$$\exists t.(S(y_{q_{halt}}, t) \vee S(y_{q_{yes}}, t) \vee S(y_{q_{no}}, t)).$$

This completes the description of the formula φ_M , which faithfully describes the computation of M on the empty word ϵ .

By construction of φ_M , we have:

φ_M has a finite model iff M halts on ϵ

This completes the reduction from **HALTING**- ϵ and proves Trakhtenbrot's Theorem.

Further Consequences of Trakhtenbrot's Theorem

The following problems can now be easily shown undecidable: (The proofs by reduction from Trakhtenbrot's Theorem are left as an exercise.)

- checking whether a FO query is domain independent,
- checking query containment of two FO (or RA) queries (recall that this means: $\forall \mathcal{A} : Q_1(\mathcal{A}) \subseteq Q_2(\mathcal{A})$),
- checking equivalence of two FO (or RA) queries.

Finite vs. Infinite Domain

Motivation

Recall the following property of the formula φ_M in the proof of Trakhtenbrot's Theorem: φ_M has a **finite model** iff M halts on ϵ .

Question. What about arbitrary models (with possibly infinite domain)?

It turns out that the (" \Rightarrow " direction of the) equivalence

" φ_M has an **arbitrary model** iff M halts on ϵ "

does not hold. Indeed, suppose that M does not terminate on input ϵ .

Then φ_M has the following (**infinite**) model:

- Choose as domain D the natural number $\{0, 1, \dots, \}$ plus some additional element a .
- Choose the ordering such that a is greater than all natural numbers.
- By assumption, M runs "forever" and we set $S(-, n)$, $T_{\sigma_i}(n, m)$, and $H(n, m)$ according to the intended meaning of these predicates.
- Moreover, we set $S(q_{halt}, a)$ to true. This is consistent with the rest since, intuitively, time instant a is "never reached".

Finite vs. Infinite Domain (2)

Question. How should we modify the problem reduction to prove **undecidability of the Entscheidungsproblem** (i.e. validity or, equivalently, unsatisfiability of FO without the restriction to finite models)?

Undecidability of the Entscheidungsproblem

We modify the problem reduction as follows: Transform the formula φ_M into φ'_M as follows: we replace the subformula φ_{halt} in φ_M by $\neg\varphi_{halt}$. Then we have: φ'_M has no model at all iff M halts on ϵ .

In other words, we have **reduced HALTING- ϵ to Unsatisfiability**.

Question. Does this reduction also work for finite unsatisfiability?

The answer is “no”, because of the the “ \Rightarrow ” direction.

Indeed, suppose that M does not terminate on input ϵ . Then, by the above equivalence, φ_M has a model – but **no finite model!** Intuitively, since M does not halt, any model refers to infinitely many time instants.

Semi-Decidability

By the **Completeness Theorem**, we know that Validity or, equivalently, **Unsatisfiability of FO is semi-decidable**.

Question. What about finite validity or finite unsatisfiability? (i.e., is an FO formula true in every resp. no interpretation with finite domain.)

Observation

- We have proved Trakhtenbrot's Theorem by reduction of the **HALTING- ϵ** problem to the finite satisfiability problem.
- This reduction can of course also be seen as a reduction from co-**HALTING- ϵ** to finite unsatisfiability.
- We know that the co-problem of **HALTING** is not semi-decidable. Hence, co-**HALTING- ϵ** is not semi-decidability either.
- Therefore, **finite unsatisfiability is not semi-decidable**.

Semi-Decidability (2)

Recall that satisfiability of FO is not semi-decidable. In contrast, we now show that **finite satisfiability is semi-decidable**.

Proof idea

- The **evaluation of an FO formula in an interpretation** is defined by a recursive algorithm. This algorithm **terminates over finite domains**.
- Hence, it is **decidable if a given formula φ is satisfied by a finite interpretation \mathcal{I}** .
- Hence, for finite signatures, the problem whether an FO formula has **a model with a given finite cardinality** is decidable.
- Therefore, for finite signatures, **finite satisfiability of FO is semi-decidable**.

Learning Objectives

- Short recapitulation of
 - Turing machines,
 - undecidability (the **HALTING** problem).
- Formulation of Trakhtenbrot's Theorem in terms of FO logic and databases.
- Proof of Trakhtenbrot's Theorem.
- Differences between finite and infinite domain.